

H.A

Notice of Allowability	Application No.	Applicant(s)	
	10/605,524	SIVASUBRAMANIAM ET AL.	
	Examiner	Art Unit	
	Nicholas Ponomarenko	2834	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/6/2003.
2. ☒ The allowed claim(s) is/are 1-13.
3. ☒ The drawings filed on 06 October 2003 are accepted by the Examiner..
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>1 page</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

Reasons for Allowance

1. Claims 1-13 are allowed.
2. **Examiner's Statement of Reasons for Allowance:**

Applicant(s) invention relates to a power generation system, and more specifically, to a system with a superconducting generator.

The system has a plurality of generators with one synchronous generator having a rotor with superconducting coil. The generator with the superconducting coil supplies other generator(s) in the system with reactive power, as disclosed.

There are inventions in the field that provide similar functionality and/or have similar features, as prior art of record shows. Applicant(s) invention differs from the prior art of record by the concept of utilizing a synchronous generator with a superconducting coil to supply reactive power to other generator(s) in the system, which was interpreted by the examiner as is disclosed and claimed, and which examiner's search failed to find.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2834

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant(s) disclosure.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas Ponomarenko whose telephone number is (571) 272- 2033, Fax: (571) 273-2033, or to his SPE Darren Schuberg – (571) 272-2044.

6. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 2800 Customer Service
Phone: (571) 272-2815

np

April 14, 2005



**Nicholas Ponomarenko
Primary Examiner
Technology Center 2800**